

15 CATERPILLAR 789 Truck

Index

16 - 22 CATERPILLAR 793F Truck

04 ABOUT BEND-TECH

06 - 09
BUCKET REPAIR
Platforms and Stands

11 - 12 CATERPILLARD10 - D11

13 CATERPILLAR 16M Grader

> 14 CATERPILLAR 777 Haul Truck

23 CATERPILLAR 854K and 980 Stands

24 - 27 CATERPILLAR994H Platforms

28 CATERPILLAR 996

> 29 CATERPILLAR 4400 Platforms

> > 31 HITACHI EX2500 Platform and Tooling

> > > 32 HITACHI EX3600 Tooling

33 - 35 HITACHI

EX5500 / 5600 Platforms and Tooling

36
HITACHI
5000EH Platform

38 KOMATSU 730E Platforms

and Tooling

39 - 43 KOMATSU830E Platforms,
Tooling and Stands

45 KOMATSU

930E Platforms

45 - 49 KOMATSUWA1200 Platforms,
Tooling and Stands

51 - 54 LeTOURNEAU L2350 Platforms

55 VOLVOL120 Platforms

56
UNDERGROUND
MACHINES
LH621 Platforms

57UNDERGROUND
MACHINES
CATERPILLAR AD30,
AD45B and AD55B

58
UNDERGROUND
MACHINES
CATERPILLAR 2900

59 - 60

MAINTENANCE PARTS

61 - 62 SUPPORT STANDS





ABOUT

We deliver sustained value by providing cutting edge solutions through collaboration and innovation. For more than 30 years we have delivered intelligent design and custom-certified products and services to the Mining, and Mobile Equipment sectors across Australia and around the world.

We have achieved this through a deep understanding of our customers and their requirements as well as innovative and industry leading design, engineering and construction. Our platforms, stands, tooling, components and lifting and handling equipment is designed to make maintenance on your mobile equipment safe, efficient and easy.



Bucket Repair Platforms



Face Shovel Bucket Repair Platform

Construction: Heavy duty aluminium

Forklift Slots:

Our High Face Shovel Bucket Repair platform is used for the refurbishment and repair of buckets, and enables 3 sided access to large mining excavator and face shovel buckets in 180 to 400 tonne machine capacity range.

WLL: 250kg **Height:** 1300mm



Bucket Repair and Inspection Platform

Construction: Heavy duty steel

Forklift Slots:

Our Bucket Repair and Inspection Platform provides safe access and inspection for large mining excavator and face shovel buckets.

Features

- Non-slip stairway and work area
- 7 step pathway
- Manufactured from Heavy duty steel
- · Closing bar gate
- Forklift slots for ease of transport
- Safety handrails

WLL: 500kg Height: 1500mm





Face Shovel Bucket Repair Platform

Construction: Heavy duty aluminium

Forklift Slots:

Our High Face Shovel Bucket Repair platform is used for the refurbishment and repair of buckets, and enables 3 sided access to large mining excavator and face shovel buckets in 180 to 400 tonne machine capacity range.

WLL: 250kg Height: 2300mm

Features

- · Non-slip stairway and work area
- Walking pathway
- Self-closing gate
- Safety handrails
- Platforms are provided in 3 stage modular form to enable ease of transport, storage and installation.

Platforms can be customised to meet your specific needs and are engineered and certified to Australian Standards.

Bucket Stands



Bend-tech's heavy duty Bucket Support Stands can be used as single or pairs for loads up to 200 tonne. Our Bucket Support Stands also include forklift lifting slots for ease of transport.

Construction: Heavy duty steel

Forklift Slots:

Finish:

Y14 Yellow

• Can be painted in accordance with the owner's specification






200T - 300mm (h)

Construction: Heavy duty steel Forklift Slots:

WLL: 200 Tonne 300mm Height:



Part No. 5000001

200T - 600mm (h)

Construction: Heavy duty steel Forklift Slots:

WLL: 200 Tonne 600mm Height:



Part No. 5000002

200T - 900mm (h)

Construction: Heavy duty steel Forklift Slots:

WLL: 200 Tonne 900mm Height:



LeTOURNEAU L1850 Bucket Stand









CATERPILLAR Product Range

Caterpillar D10 - D11 Platforms and Stand







Part No. 5501608

CAT D10 Engine Access Safety Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Non-slip grating
- Overhanging platform
- Fitted with jacking stands

WLL: 250kg Height: 2010mm



Part No. 5501587

CAT D11 Draft Arm Safety Stand 45 T

Construction: Heavy duty aluminium


Forklift Slots:

- Adjustable spring loaded
- Heavy duty wheels spring loaded

WLL: 45 Tonne Height: 1040mm

Caterpillar D10 - D11 Platforms





Part No. 5501737

CAT D10-D11 Engine Bay Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Non-slip stairway and work area
- Handrails fully removable
- Jacking stands

- LH and RH configurations (Sold as a set)
- Detachable handrail with swinging gate section for protection when in the engine bay

WLL: 250kg Height: 1850mm

CAT D10 Engine Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

Handrails fully removable

- Non-slip stairway and work area
- Self-closing gate
- Available in LH and RH configurations

WLL: 250kg Height: 2010mm



Caterpillar **16M Grader Platforms**



CAT 16M Grader Access Platform

Construction: Heavy duty aluminium

Forklift Slots: X

- Non-slip stairway and work area
- · Self-closing gate
- · Safety handrails

250kg WLL: Height: 1810mm



CAT 16M Grader Cabin Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Jacking stands fitted on the outriggers
- Non-slip stairway and work area
- · Self-closing gate
- Safety handrails
- Overhang and counterweight for easy access

WLL: 250kg Height: 1800mm



Caterpillar 777 Haul Truck Platforms



CAT 777F Water Cart Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Non-slip stairway and work area
- · Self-levelling jacks
- · Self-closing gate
- Safety handrails

WLL: 250kg Height: 2230mm



CAT 777-789F Air Filter Access

Construction: Heavy duty aluminium

Forklift Slots:

· Non-slip stairway and work area

Safety handrails

• Self-levelling jacks and self closing gate

WLL: 250kg Height: 2400mm



Caterpillar 789 Truck Platforms and Tooling



CAT 777-789F Air Filter Access

Construction: Heavy duty aluminium

Forklift Slots:

- Non-slip stairway and work area
- · Self-levelling jacks
- · Self-closing gate
- Safety handrails

WLL: 250kg Height: 2400mm



789 Hoist Cylinder Bearing Installer

Construction: Heavy duty steel

Forklift Slots: X

Finish: Y14 Yellow

- Stainless steel certification plate
- For the easy and convenient installation of bearings

WLL: N/A Height: N/A



MEM CATALOGUE

BEND-TEC

Caterpillar 793F Truck Stands







Part No. 5401525

CAT 793D Engine Support and Transport Stand

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

· Lifting eyes for ease of transport

WLL: 11 Tonne Height: 650mm



Part No. 5413106

CAT 793 Wheel Hub Support Frame

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

- Lifting eyes for ease of transport
- Rollers to allow frame movement during maintenance

WLL: 7.8 Tonne Height: N/A



CAT 793F Rear Struts Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Large industrial castors and levelling jacks
- · Non-slip stairway and work area
- Self-closing gate
- Safety handrails

WLL: 150kg Height: 2100mm



CAT 793F Upper Radiator Access

Construction: Heavy duty aluminium

Forklift Slots: X

- Non-slip stairway and work area
- Large industrial castors and levelling jacks
- Non-slip stairway and work area
- · Self-closing gate
- · Safety handrails

WLL: 250kg Height: 4000mm





CAT 793F Air Cleaner Platform

Construction: Heavy duty aluminium

Forklift Slots:

· Jacking stands for stability

• Safety handrails (mandrel bent)

• Overhang self-closing gate for safety

WLL: 250kg Height: 2800mm



CAT 793F Lower Radiator Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Non-slip stairway and work area
- Large industrial castors and levelling jacks
- · Self-closing gate and Safety handrails

WLL: 250kg Height: 1800mm





CAT 793F Access Chassis Rail Platform

Construction: Heavy duty aluminium

Forklift Slots: Safety handrails

Non-slip stairway and work area

• Self-closing gate, levelling jacks

WLL: 250kg Height: 1700mm









CAT 793F Strut And Line Boring Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

- Removable handrails
- Overhang for extra access
- Easy access stairway

WLL: 250kg Height: 2200mm



Part No. 5501500

CAT 793F Transmission Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

• Removable handrails on platform and stairway

Self-closing gate

WLL: 250kg Height: 1700mm

CAT 793F Chassis Fuel Tank Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

• Large overhang for extra length and access

· Self-closing gate at top of stairs

Mesh on base

WLL: 250kg Height: 3600mm





CAT 793F Engine Bay Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- 4 x Dropdown lifting lugs for safe lifting
- · Removable handrails and fixed handrail on the end
- Self-closing gate

WLL: 450kg Height: 1280mm



Part No. 5501480



CAT 793F Drivers Side Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- · Outriggers with stability jacks
- Self-closing gate and boom
- Heavy duty castor wheels

WLL: 250kg Height: 4200mm



CAT 793F Tray Pin Removal Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Stability jacks
- Self-closing gate and boom
- Heavy duty castor wheels

WLL: 250kg Height: 5250mm

Caterpillar 793F Truck Ladder



CAT 793F Truck Tray Access Ladder

Construction: Steel CAT yellow

Forklift Slots: X

- Access ladder positioned in the centre of the chassis
- Folding handrail for fall protection

WLL: 150kg Height: 900mm



Caterpillar 793F Truck Tooling





CAT 793F Steering Arm Lifting and Flange Removal Tool

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: X

WLL: 300kg Height: N/A



CAT 793 Rock Ejector Installation Tool

Construction: Heavy duty steel

Painted Y14 Golden Yellow Finish:

Forklift Slots:

WLL: 150kg Height: N/A

Caterpillar 854K Stand



845K Wheel Dozer Draft Arm Stand


Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

- Swivel top stand with pin
- Folding handrail for fall protection

WLL: 50 Tonne Height: 1100mm



Caterpillar 980 Platforms



Construction: Heavy duty aluminium Forklift Slots:

√

- Non-slip stairway and work area
- · Self-levelling jacks
- Self-closing gate
- Safety handrails

WLL: 250kg Height: 1120mm



MEM CATALOGUE

Certified / Compliant with AUS Standards



BEND-TECH

Caterpillar 994H Platforms







CAT 994H LH - RH Artic Short Platform

Construction: Heavy duty aluminium

Forklift Slots: X

Jacking stands for stability

Self-closing gate

WLL: 250kg Height: 900mm



CAT 994 Access Stairs

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: X

• Alternative option to OEM build

• Painted to site specific colour

Height: 2300mm **WLL:** 150kg

Certified / Compliant with AUS Standards

CAT 994H Artic High Access Platform


Construction: Heavy duty aluminium

Forklift Slots:

- Outriggers with levelling jacks
- · Boom rail on front
- Self-closing gate

WLL: 250kg Height: 2840mm





Part No. 5501919

CAT 994H Front Tilt Access Platform

Construction: Heavy duty aluminium

Forklift Slots: X

- Steel plates weld to bucket
- Platform bolts onto welded plates
- Handrails Y14 safety yellow

WLL: 600kg Height: 1280mm



CAT 994H Emergency Side Access and Work Platform

Construction: Heavy duty aluminium

Forklift Slots: X

- Removable handrails and floor section
- · Self-closing gate

WLL: 400kg Height: 2100mm



994 Access Platform

Construction: Heavy duty aluminium

Forklift Slots: X

• LH and RH side work platforms with additional middle platform

Self-closing gate

Safety handrails

WLL: Height: 2850mm 250kg

CAT 994 LH - RH Artic Short Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

• Platforms bolt together for transport Removable handrails for ease of access

· Compliant access platform kit for the left and right-hand side

Self-closing gate

WLL: 250kg Height: 3350mm



Forklift Slots:

Adjustable handrails at front

• Extended overhang for extra access

· Self-closing gate

WLL: 600kg Height: 2860mm



Caterpillar 994H Tooling

CAT 994H Transmission Holder

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

• Designed specifically for the CAT 994H

WLL: 1.5 Tonne Height: N/A



BEND-TECH

MEM CATALOGUE

Caterpillar 996 Platforms





CAT 996 Electrical Access Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

Small access platform

• Self-closing gate at the top of the stairs

Fixed wheels at rear

WLL: 150kg Height: 1000mm



Caterpillar 4400 Platforms





CAT 4400 Front Access Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

• Large overhang for access

• Self-closing gate at the top of the stairs

Safety handrails

WLL: 250kg Height: 2180mm





HITACHI Product Range

Hitachi **EX2500** Platforms and Tooling



HITACHI EX2500 Platform Extension

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

Base plates lock into grate below

WLL: 250kg Height: 2350mm



Hitachi EX2500 Bash Plate

Construction: Heavy duty steel


Finish: Painted to site or machine

specific colours

Forklift Slots: X

Modular design

WLL: N/A Height: N/A



Part No. 5500152

Hitachi **EX3600** Tooling







Hitachi **EX5500/5600** Platforms



HITACHI EX5500 / EX5600 Slew **Bearing Platform - Changeout Kit**

Construction: Heavy duty aluminium

Forklift Slots:

· Complete with handrails

• Handrails gaps are half meshed for increased safety

· Handrails bolt on the fixed threaded blocks

• Removable platforms at front of platform

WLL: 250kg Height: 2300mm



Part No. 5501259



Construction: Heavy duty aluminium

Forklift Slots: X

• Fitted with handrails that hook over tracks

· Platform sits at front of machine and handrails on edge of tracks

WLL: 250kg Height: 2060mm



Hitachi **EX5500/5600** Platforms



HITACHI EX5600 Clam Cylinder Valve

Construction: Heavy duty aluminium

Forklift Slots: X

- Fitted with Self-closing gate and safety handrails
- Non-slip stairway and work area
- · Wheels for ease of mobility
- Certified and compliant with Australian Standards

WLL: 250kg Height: 1800mm





Hitachi **EX5500/5600** Tooling





Part No. 5400171

Hitachi EX5500/EX3600 **Load Roller Cradle**

Construction: Heavy duty steel

Painted Y14 Golden Yellow Finish:

Forklift Slots:

WLL: N/A Height: N/A



Hitachi EX5500 **Arm Cylinder Transport Frame**

Construction: Heavy duty steel Finish: Hot dipped galvanised

Forklift Slots:

• Allows for easy, safe transport



Hitachi EX5500 **Boom Cylinder Transport Frame**

Construction: Heavy duty steel Finish: Hot dipped galvanised

Forklift Slots:

Allows for easy, safe transport



Part No. 5501994

Hitachi EX5500 **Bucket Cylinder Transport Frame**

Construction: Heavy duty steel Finish: Hot dipped galvanised

Forklift Slots:

• Allows for easy, safe transport

Hitachi **5000EH** Platform

HITACHI 5000EH Engine Bay Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

Jacking Stands:

WLL: 250kg Height: 2830mm



Certified / Compliant with AUS Standards





KOMATSU Product Range

KOMATSU 730E Platform and Tooling




Komatsu 730E Engine Bay Platform

Construction: Heavy duty aluminium **Finish:** Painted Y14 Golden Yellow

Forklift Slots: XSupplied in pairs

• Extended height handrails

WLL: 200kg Height: 580mm



Komatsu 730E / 830E Wheel Hub Support Frame

Construction: Heavy duty steel


Finish: Painted Y14 Golden Yellow

Forklift Slots:

Lifting eyes for ease of transport

• Tie down points for stability

WLL: 1500kg Height: N/A



KOMATSU 830E Platforms



KOMATSU 830E Air Filter Access Station Platform

Construction: Heavy Duty Alley

/ Steel

Forklift Slots:

Non-slip grating

Solar lights are added to the platform

for extra light at pight.

for extra light at night

WLL: 350kg Height: 2450mm



KOMATSU 830E Platforms

KOMATSU 830E

Over Fuel Tank Access Platform

Construction: Heavy duty aluminium

Forklift Slots: X

- Out-swinging gates
- Non-slip platform
- Safety handrails

WLL: 350kg Height: 3800mm





KOMATSU 830E Engine Bay Access Platform And Ladder

Construction: Heavy duty aluminium Painted Y14 Golden Yellow Finish:

Forklift Slots: X

- Extended height handrails
- Sliding access door and Fold-down ladder

WLL: 150kg Height: 1040mm



Komatsu 780E **Engine Bay Platform**

Construction: Heavy duty aluminium Painted Y14 Golden Yellow Finish:

Forklift Slots: X

- Supplied in pairs
- Extended height handrails

WLL: 150kg Height: 580mm

Certified / Compliant with AUS Standards

KOMATSU 830E Platforms

KOMATSU 830E ACI Engine Modules Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

· Access for both sides of engine

Non-slip platform and handrails

WLL: 200kg Height: 750mm



KOMATSU 830/930

Front Entry Access Platform Stairs

Construction: Heavy duty aluminium

Forklift Slots: 🔀

• Dual self-closing gates at the rear of the platform

Non-slip platform and landings

WLL: 150kg Height: 800mm



Part No. 5501721

KOMATSU 830E Platforms





KOMATSU 830E Platform with Ladder RHS

Construction: Heavy duty

Aluminium Ladder / Steel Platform

Painted Y14 Golden Yellow Finish:

Forklift Slots: X

- · Locking gates for safety
- Can be modified for tyre and truck configurations

WLL: 200kg Height: 580mm



KOMATSU 830E Platform with Ladder LHS

Construction: Heavy duty

Aluminium Ladder / Steel Platform

Painted Y14 Golden Yellow Finish:

Forklift Slots: X Locking gates for safety

• Can be modified for tyre and truck configurations

WLL: 200kg Height: 580mm



KOMATSU 830E Lifting Jig

Construction: Heavy duty steel

Forklift Slots:

Finish: Painted Y14 Golden Yellow

• Straps fitted to hold steering accumulator in place

• Finished in Y14 Safety Yellow

WLL: 500kg Height: N/A



Komatsu 730E / 830E **Wheel Hub Support Frame**

Construction: Heavy duty steel

Forklift Slots:

Painted Y14 Golden Yellow Finish:

· Lifting eyes for ease of transport

· Tie down points for stability

WLL: 1500kg Height: N/A



KOMATSU 930E Platforms



KOMATSU 830/930

Front Entry Access Platform Stairs

Construction: Heavy duty aluminium

Forklift Slots: X

- Dual self-closing gates at the rear of the platform
- Non-slip platform and landings

WLL: 600kg Height: 800mm



Part No. 5501721

KOMATSU 930E Strut Platform

Construction: Heavy duty aluminium

Forklift Slots:

Removable handrails on front for easy access

Outriggers for extra stability

WLL: 250kg Height: 2300mm



Certified / Compliant with AUS Standards

KOMATSU WA1200 Platforms

Komatsu WA1200 Front Artic / Boom Hose Access

Construction: Heavy duty aluminium

Forklift Slots:

- Large industrial castors and levelling jacks
- · Non-slip stairway and work area
- Self-closing gates
- Safety handrails

WLL: 250kg Height: 1150mm





KOMATSU WA1200 Platforms





Construction: Heavy duty aluminium

Forklift Slots:

• LH and RH configurations

Removable handrails on all sides for easy access

Self-closing gate

WLL: 250kg Height: 1900mm



KOMATSU WA1200 Front Hatch Access Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

• Flip down handrails

Self-closing gate

WLL: 250kg Height: 3000mm



KOMATSU WA1200 Internal Transmission Area Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

· Recessed lifting lugs in platform deck for crane access

Narrow access

WLL: 150kg Height: 2290mm



Front Hatch Access Platform


Construction: Heavy duty aluminium

Forklift Slots: 🔀

• Weld on steel base plates

· Handrails thread on to steel blocks welded to WA1200

WLL: 150kg Height: 1400mm



Part No. 5501654

BEND-TECH

KOMATSU WA1200 Stands



Komatsu WA 1200 Complete Stand Set

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

Includes 3 stands

SMALL STAND

WLL: 200T

Height: 840mm

MEDIUM STAND

WLL: 200T **Height:** 1130mm

LARGE STAND

WLL: 200T **Height:** 1400mm





Komatsu WA1200 Torque Tube Support Stand

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: X

Curved top

WLL: 80 Tonne **Height:** 3500 or 3700mm



80 Tonne Boom Support Stand

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: X

• Lifting eyes for ease of transport

WLL: 100 Tonne Height: 4500mm

KOMATSU WA1200 Tooling

WA1200 Bush Lifting Tool

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: 🔀

Rubber insertion

• Finished in Y14 safety yellow

WLL: 100kg Height: N/A





LeTOURNEAU L2350 Platforms

L2350 Side Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

• LH and RH configuration

· Levelling jacks for uneven ground

• Removable handrails

WLL: 250kg Height: 4350mm



Part No. 5501574

L2350 Artic Area Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

Heavy duty castor wheels

Outriggers with stability jacks

• Platform bolts together in a top and bottom section

• Self-closing gate at top of stairs and boom rail at rear

WLL: 250kg Height: 3100mm



LeTOURNEAU L2350 Platforms



L2350 RH Chassis Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- Slide-out handrail for extra protection
- Wide Stairway for easy access

WLL: 250kg Height: 3550mm



L2350 Air-con Condensor **Access Platform**

Construction: Heavy duty aluminium

Forklift Slots:

- Lifting lugs to crane into place
- Rubber on base plates for stability when on deck
- · Self-closing doors

WLL: 150kg Height: 550mm



LeTOURNEAU L2350 Platforms

L2350 LH Chassis Access Platform

Construction: Heavy duty aluminium

Forklift Slots:

- LH and RH configuration
- · Levelling jacks for uneven ground
- Removable handrails

WLL: 250kg Height: 3550mm



L2350 LH & RH **Strut Removal Platform**

Construction: Heavy duty aluminium

Forklift Slots:

- Suits left and right hand configurations
- Removable Handrails
- Removable step
- Self-closing doors

WLL: 150kg Height: 1600mm



LeTOURNEAU L2350 Platforms







Underground SANDVIK **LH621** Platform



SANDVIK LH621 Loader Front Access Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

Platforms allow easy access from the

- bucket right to the cabLeft hand and Right hand are symmetrical
- Double height handrails at tyre points to prevent falls
- Flip up grating sections on deck

WLL: N/A Height: N/A







CAT AD30 Tray Access Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

- Non-slip grating
- Handrails fully removable
- · Self-closing gate

WLL: 600kg Height: 2150mm



CAT AD45B Rear Tray Access Platform

Construction: Heavy duty aluminium

Forklift Slots: 🔀

- Non-slip grating
- Handrails fully removable
- Self-closing gate

WLL: 600kg Height: 2550mm

CAT AD55B Access Platform

Construction: Heavy duty aluminium

Forklift Slots: X

Non-slip stairway and work area

- · Self-levelling jacks
- · Self-closing gate
- Foldable handrail wings

WLL: 600kg Height: 2200mm



Underground Caterpillar **2900** Platforms





CAT 2900 Bucket Reconditioning Platform

Construction: Heavy duty aluminium

Forklift Slots:

shaped platform

• Removable handrails

WLL: 250kg **Height:** 1700mm

4 x sections bolt together to combine in one square

CAT 2900 Platform

Construction: Heavy duty aluminium

Forklift Slots:

• Self-closing gate at the top of the stairs

Safety handrails

WLL: 250kg Height: 2050mm



Maintenance Parts



Bearing Push Tool

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: X


• Lifting eyes for ease of installation and transport

• Can be made to suit custom sizes.

Tonnages are available on request

WLL: 25 Tonne Height: N/A





Maintenance Parts



Komatsu Brake Caliper Tooling

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots: X

• Made specifically to suit Komatsu machines

 Enables safe and efficient handling of brake calipers by positioning the caliper off work benches and providing full rotation.

WLL: 50kg Height: N/A



Part No. 401552

Support **Stands**



30 Tonne Support Stand

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

 Ensure the stand remains functional under high workloads

• Features a high wear top plate

WLL: 30 Tonne Height: 655mm



Part No. 5501038

50 Tonne Support Stand

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

 Ensure the stand remains functional under high workloads

• Features a high wear top plate

WLL: 50 Tonne Height: 670mm



BEND-TECH

Support **Stands**

60 Tonne SKS Drill Chassis Support Stand

Construction: Heavy duty steel

Finish: Painted Y14 Golden Yellow

Forklift Slots:

• Used for support of the SKS mining drill

WLL: 60 Tonne Height: 1700mm



We offer a full consulting and engineering service

Projects and the associated challenges often require custom solutions, we take pride in our CDEC system. Consultation, Design, Engineering and Construction is our holistic approach to solution development making maintenance on-site safe, efficient and easy.

CDEC Process



Consultation We come to you and visit your site to get a hands-on feel for your project. The aim of our consultation is to listen to and understand your requirements. This approach allows us to develop and discuss with you on-site, possible solutions to your problem, and the benefits we can offer.





Design After the consultation we go back to our design team to begin the development of your custom solution. Our team produce designs in CAD Design complete with all drafting documentation ensuring an advanced manufacturing process. Our process allows and encourages you to be involved in the design stage and collaborate with our highly skilled team.





Engineering Once the design is approved we begin the development and engineering process. This ensures that the right material is used for your project to guarantee structural and functional integrity. We provide full certification that includes WLL, load ratings, integrity reports as well as certificate plates and identifications. We design and engineer all our solutions to ensure full compliance with Australian standards.





Construction Finally, once the project is ready and certified for construction we manufacture your solution. We test, machine, fabricate and surface treat as well as trial fit your custom project. We only manufacture high quality products that provide long lasting, safe and efficient solutions.

